AmerisourceBergen

Besse Medical

2024-2025 flu vaccine product offerings

Admin code³

G0008

Diagnosis code³

IDC-10-CMZ23

Manufacturer name	Presentation	Form ¹	Egg-free ²	Thimerosal-free ²	Size	NDC #	Age indication ²	CPT code ³
AstraZeneca	FluMist® Quadrivalent	Spray		✓	Box of 10 (0.2 mL intranasal sprayer)	66019-0311-10	2–49 years	90672
GlaxoSmithKline	Fluarix® Trivalent	PFS		<u> </u>	Box of 10 (0.5 mL PFS)	58160-0884-52	6+ months	90686
	FluLaval® Trivalent	PFS		✓	Box of 10 (0.5 mL PFS)	19515-0810-52	6+ months	90686
Seqirus	Afluria® Trivalent	MDV			10 doses/vial (5 mL MDV)	33332-0124-10	6+ months	90688
		PFS		<u> </u>	Box of 10 (0.5 mL PFS)	33332-0024-03	3+ years	90686
	Flucelvax® Trivalent	MDV	<u> </u>		10 doses/vial (5 mL MDV)	70461-0554-10	6+ months	90756
		PFS	<u> </u>	✓	Box of 10 (0.5 mL PFS)	70461-0654-03	6+ months	90674
	Fluad® Trivalent	PFS		<u> </u>	Box of 10 (0.5 mL PFS)	70461-0024-03	65+ years	90694
Sanofi Pasteur	Flublok® Quadrivalent	PFS	/	<u> </u>	Box of 10 (0.5 mL PFS)	49281-0724-10	18+ years	90682
	Fluzone® Trivalent	MDV			10 doses/vial (5 mL MDV)	49281-0641-15	6+ months	90688
		PFS		✓	Box of 10 (0.5 mL PFS)	49281-0424-50	6+ months	90686
	Fluzone® High-Dose Trivalent	PFS		✓	Box of 10 (0.7 mL PFS)	49281-0124-65	65+ years	90662

¹ For all questions related to injection safety, allergies or other vaccination recommendations please refer to the Centers for Disease Control (CDC) and/or the product labeling.

AmerisourceBergen is not promoting any specific product, or making any claims about the safety or efficacy of these products. AmerisourceBergen strongly encourages our customers to review the labeling information for any product and to rely on their own clinical judgment before ordering or prescribing any product for a particular patient.

Contact us

besse.com/flu Phone: 800.543.2111 Email: service@besse.com

©2024 AmerisourceBergen. All Rights Reserved. 0124

² Age indication and designation as "Egg-free" and/or "Thimerosal-free" information is based on information contained in the product labeling and package insert and not on any independent testing or assessment by AmerisourceBergen or its entities. Customers are strongly advised to review each product's label and package insert for more information.

³ All codes should be verified between the provider and the payer.